JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 334 (1987)

AUTHOR INDEX

Åkermark, B., (334) 169
Akhrem, I.S., (334) 109
Akiyoshi, K., (334) 181
Andrews, D.G., (334) C17

Bäckvall, J.E., (334) 169
Bennetau, B., (334) 263
Blunden, S.J., (334) 307
Bolesławski, M.P., (334) C1
Braga, D., (334) C46
Brandvold, T.A., (334) 9
Brumme, J., (334) 277
Brunner, H., (334) 369
Bugno, C. Di, (334) C46

Chaisupakitsin, M., (334) 205
Challener, C.A., (334) 9
Chan, K.S., (334) 9
Chisholm, M.H., (334) 77
Comasseto, J.V., (334) 329
Correia, V.R., (334) 329
Czisch, P., (334) 91

Di Bugno, C., (334) C46
Dinjus, E., (334) 377
Dötz, K.H., (334) 57
Dries, M., (334) C35
Dunoguès, J., (334) 263

Eisch, J.J., (334) C1
Erker, G., (334) 91
Espinet, P., (334) 399

Faron, K.L., (334) 9
Ferreira, J.T.B., (334) 329
Forniés, J., (334) 389, 399
Frigo, D.M., (334) C27

Geike, W.A., (334) 359
Geoffroy, G.L., (334) 117
Grebe, B., (334) C21
Grosse-Ruyken, H., (334) 277
Grushin, V.V., (334) 109

Hargittai, I., (334) 269
Hayashi, Tamio, (334) 195
Hayashi, Teruyuki, (334) 205
Herberhold, M., (334) 347
Hertkorn, N., (334) 359
Higuchi, T., (334) 195
Hirotsu, K., (334) 195
Hong, P., (334) 129
Hori, Y., (334) 157
Hosokawa, T., (334) C5
Howes, A., (334) C27
Hu, D., (334) C35
Huang, L., (334) C9
Hursthouse, M.B., (334) C27
Hyldahl, C., (334) 9

Ittel, S.D., (334) 141
Itzstein, M. von, (334) 85

Jutzi, P., (334) C24

Khan, O.F.Z., (334) C27
Klabunde, U., (334) 141
Knebel, J., (334) C39
Kniesel, H., (334) 347
Köhler, F.H., (334) 359
Krempp, M., (334) 263
Krüger, C., (334) C39
Kumada, M., (334) 195
Kumar Das, V.G., (334) 283, 295, 307
Kurosawa, H., (334) 243

Lalinde, E., (334) 399
Lang, E.S., (334) 329
Leffers, W., (334) C24
Leoni, P., (334) C46
Leyerer, H., (334) 369
Lin, J.T., (334) C31
Lindstedt, E.-L., (334) 255
Lis, T., (334) 341

Macklin, P.D., (334) 117
Maercker, A., (334) C21
Maitlis, P.M., (334) C14, C17
Mak, T.C.W., (334) 283, 295
Minami, I., (334) 225
Mirkin, C.A., (334) 117
Mise, T., (334) 129
Mitsudo, T., (334) 157
Morley, C.P., (334) C39
Müller, G., (334) 57, C24
Mun, L.K., (334) 307
Murahashi, S., (334) C5
Mynott, R., (334) 91

Naumann, D., (334) 323
Navarro, R., (334) 389
Negishi, E., (334) 181
Ng, S.W., (334) 283, 295
Nilsson, M., (334) 255
Nyström, J.-E., (334) 169

O'Brien, P., (334) C27
Ohe, K., (334) C43
Ohta, T., (334) C5
Olsson, T., (334) 255
Ortega, A.M., (334) 389

Pasquali, M., (334) C46
Peterson, G.A., (334) 9
Popall, M., (334) 57
Porzel, A., (334) 277
Pritzkow, H., (334) C35

Reetz, M.T., (334) 85
Regitz, M., (334) C35
Reznichenko, S.V., (334) 109
Rheingold, A.L., (334) 117
Roe, D.C., (334) 141
Rösch, W., (334) C35
Rozsondai, B., (334) 269
Rühlmann, K., (334) 277

Sabatino, P., (334) C46
Saez, I.M., (334) C14, C17
Sakakura, T., (334) 205
Schäufele, H., (334) C35
Scheim, U., (334) 277
Schönberg, H., (334) 377
Schumann, H., (334) 1
Shiao, Y.M., (334) C31
Sieler, J., (334) 377
Simonelli, F., (334) 329

Sobota, P., (334) 341
Söderberg, B., (334) 169
Sugita, N., (334) C43
Swamy, S.J., (334) 1

Takahashi, H., (334) C43
Takahashi, Tamotsa, (334) 181
Takahashi, Tsukasa, (334) C5
Tamura, Y., (334) 213
Tanaka, M., (334) 205
Tsuji, J., (334) 225
Tulip, T.H., (334) 141
Tyrra, W., (334) 323

Uemura, S., (334) C43
Usón, R., (334) 389, 399
Utko, J., (334) 341

Viswanathan, N., (334) 117
Vol'pin, M.E., (334) 109
Von Itzstein, M., (334) 85

Wallis, J.M., (334) C39
Walther, D., (334) 377
Watanabe, H., (334) 225
Watanabe, Y., (334) 157
Wei, C., (334) 283, 295
Wilke, G., (334) C39
Williams, G.D., (334) 117
Wulff, W.D., (334) 9

Yamamoto, A., (334) C9
Yamazaki, H., (334) 129
Yoshida, Z., (334) 213
Yuhara, M., (334) 225

Zenneck, U., (334) C35

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 334 (1987)

SUBJECT INDEX

Aluminium

Ziegler-type systems, activation of C–C bonds in alkanes and cycloalkanes by (M.E. Vol'pin, I.S. Akhrem, S.V. Reznichenko, V.V. Grushin), (334) 109

Bismuth

Tris(perfluoroorgano)bismuth compounds, Bi-$(R_t)_3$ ($R_t = CF_3$, C_2F_5, n-C_3F_7, n-C_4H_9, n-C_6F_{13}, n-C_8F_{17}, C_6F_5) (D. Naumann, W. Tyrra), (334) 323

Cadmium

Bis[2-((dimethylamino)methyl)phenyl]cadmium-(II), crystal and molecular structure of (O.F.Z. Khan, D.M. Frigo, P. O'Brien, A. Howes, M.B. Hursthouse), (334) C27

Chromium

Carbenechromium complexes, solvent, chelation and concentration effects on benzannulation reaction with acetylenes of (K.S. Chan, G.A. Peterson, T.A. Brandvold, K.L. Faron, C.A. Challener, C. Hyldahl, W.D. Wulff), (334) 9

Carbenemetal chelates, stable reactive intermediates in cycloaddition reactions (K.H. Dötz, M. Popall, G. Müller), (334) 57

Cobalt

$Cp(CO)CoPt(PPh_3)_2(\mu\text{-}CH_2)$ and $Cp_2Co_2Pt(PPh_3)_2(\mu\text{-}CO)_2$, synthesis from reaction of $Pt(PPh_3)_2(C_2H_4)$ with $[CpCo(CO)]_2(\mu\text{-}CH_2)$, synthesis of (P.D. Macklin, C.A. Mirkin, N. Viswanathan, G.D. Williams, G.L. Geoffroy, A.L. Rheingold), (334) 117

Cyclooctaselenadiazole, synthesis, decomposition pathway, and reaction with $(\eta^5\text{-}C_5H_5)Co(L)_2$ ($L = C_2H_4$, PPh_3); crystal and molecular structures of $[(\eta^5\text{-}C_5H_5)Co]_2(\mu_2\text{-}\eta^3,\eta^2\text{-}C_8H_6Se)$ (J. Knebel, C.P. Moley, G. Wilke, C. Krüger, J.M. Wallis), (334) C39

Octacarbonyldicobalt-mediated and -catalysed carbonylation of diaryl diselenides and ditellurides to seleno and telluro esters (H. Takahashi, K. Ohe, S. Uemura, N. Sugita), (334) C43

Triphenylphosphine-palladium, -platinum, -cobalt, and -rhodium complexes as efficient catalysts for fluoride synthesis via carbonylation of orgnaic halides (T. Sakakura, M. Chaisupakitsin, Teruyuki Hayashi, M. Tanaka), (334) 205

Copper

From 2-thienylcopper couplings to trimethylsilyl-promoted organocopper additions (E.-L. Lindstedt, M. Nilsson, T. Olsson), (334) 255

Germanium

Bis(-t-butyl- trimethylsilyl-, trimethylgermyl-, trimethylstannyl- and trimethylplumbyl-cyclopentadienyl)iron, synthesis and multinuclear NMR data of (F.H. Köhler, W.A. Geike, N. Hertkorn), (334) 359

Hafnium

Group 4 metallocene-substituted ylides, synthesis and reactions with ketones of (G. Erker, P. Czisch, R. Mynott), (334) 91

Indium

Trimethylsilyl-substituted cyclopentadienylindium(I) compounds, synthesis and properties of (P. Jutzi, W. Leffers, G. Müller), (334) C24

Iridium

Fischer–Tropsch reaction, models for formation of oxygenates in (I.M. Saez, P.M. Maitlis), (334) C14

Iron

Bis(-t-butyl-, trimethylsilyl-, trimethylgermyl-, trimethylstannyl- and trimethylplumbyl-cyclopentadienyl)iron, synthesis and multinuclear NMR data of (F.H. Köhler, W.A. Geike, N. Hertkorn), (334) 359
t-Butylphosphaacetylene, ring formation with π-areneiron complexes of (M. Driess, D. Hu, H. Pritzkow, H. Schäufele, U. Zenneck, M. Regitz, W. Rösch), (334) C35
Dichloro[*N*,*N*-dimethyl-1-[1′,2-bis(diphenylphosphino)ferrocenyl]ethylamine]palladium(II), crystal structure of (Tamio Hayashi, M. Kumada, T. Higuchi, K. Hirotsu), (334) 195
Ferrocenylpentacarbonylmanganese, $Mn(CO)_5$-Fc, synthesis and reactivity of (M. Herberhold, H. Kniesel), (334) 347
Fischer–Tropsch reaction, models for formation of oxygenates in (I.M. Saez, P.M. Maitlis), (334) C14

Lead

Bis(t-butyl-, trimethylsilyl-, trimethylgermyl-, trimethylstannyl- and trimethylplumbyl-cyclopentadienyl)iron, synthesis and multinuclear NMR data of (F.H. Köhler, W.A. Geike, N. Hertkorn), (334) 359

Lithium

Carbenechromium complexes, solvent, chelation and concentration effects on benzannulation reaction with acetylenes of (K.S. Chan, G.A. Peterson, W.D. Wulff), (334) 9
Dilithioacetylene formation instead of 1,2-dilithioethane in the reaction of ethylene with lithium, an amendment (A. Maercker, B. Grebe), (334) C21
Palladium-catalysed or -promoted reductive C–C coupling, effects of phosphines and carbon ligands on (E.-I. Negishi, Tamotsa Takahashi, K. Akiyoshi), (334) 181
Trimethylsilyl-substituted cyclopentadienylindium(I) compounds, synthesis and properties (P. Jutzi, W. Leffers, G. Müller), (334) C24

Manganese

Ferrocenylpentacarbonylmanganese, $Mn(CO)_5$-Fc, synthesis and reactivity of (M. Herberhold, H. Kniesel), (334) 347

Metallocenes

Bis(t-butyl-, trimethylsilyl-, trimethylgermyl-, trimethylstannyl- and trimethylplumbyl-cyclopentadienyl)iron, synthesis and multinuclear NMR data of (F.H. Köhler, W.A. Geike, N. Hertkorn), (334) 359
t-Butylphosphaacetylene, ring formation with π-areneiron complexes of (M. Driess, D. Hu, H. Pritzkow, H. Schäufele, U. Zenneck, M. Regitz, W. Rösch), (334) C35
Dichloro[*N*,*N*-dimethyl-1[1′,2-bis(diphenylphosphino)ferrocenyl]ethylamine]palladium(II), crystal structure of (Tamio Hayashi, M. Kumada, T. Higuchi, K. Hirotsu), (334) 195
Ferrocenylpentacarbonylmanganese, $Mn(CO)_5$-Fc, synthesis and reactivity of (M. Herberhold, H. Kniesel), (334) 347
Group 4 metallocene-substituted ylides, synthesis and reactions with ketones of (G. Erker, P. Czisch), (334) 91

Molybdenum

Carbenemetal chelates, stable reactive intermediates in cycloaddition reactions (K.H. Dötz, M. Popall, G. Müller), (334) 57
Reduced metal oxides, molecular model for reductive cleavage of CO to carbide and oxide on (M.H. Chisholm), (334) 77

Nickel

Acetonitrile/trialkylphosphane/nickel(0), selective cooligomerisation of hexyne(−3) under catalysis of; structure of a nickel(0) complex with side-on bonded acetonitrile (D. Walther, H. Schönberg, E. Dinjus, J. Sieler), (334) 377
Nickel polymerisation catalysts, reactions with CO of (U. Klabunde, T.H. Tulip, D.C. Roe, S.D. Ittel), (334) 141

Palladium

Dichloro[*N*,*N*-dimethyl-1-[1′,2-bis(diphenylphosphine)ferrocenyl]ethylamine]palladium(II), crystal structure of (Tamio Hayashi, M. Kumada, T. Higuchi, K. Hirotsu), (334) 195
Oxidative addition of O–H bond to metal centre;

synthesis and crystal structure of *trans*-(PhO)(H)Pd(PCy_3)$_2$ · PhOH (D. Braga, P. Sabatino, C. Di Bugno, P. Leoni, M. Pasquali), (334) C46

Palladium-catalysed furan-annelation reaction of 2-alkynyl carbonates or 2-(1-alkynyl)oxiranes, with β-keto esters (I. Minami, M. Yuhara, H. Watanabe, J. Tsuji), (334) 225

Palladium-catalysed or -promoted reductive C–C coupling, effects of phosphines and carbon ligands on (E.-I. Negishi, Tamotsa Takahashi, K. Akiyoshi), (334) 181

Palladium-catalysed stoicheiometric hydroxidation of conjugated dienes (J.-E. Nyström, B. Söderberg, B. Åkermark, J.E. Bäckvall), (334) 169

Palladium(II) catalyst for oxygenation of terminal olefins with molecular oxygen (T. Hosokawa, Tsukasa Takahashi, T. Ohta, S.-I. Murahashi), (334) C5

Palladium complexes with *N*,*N*′-di-β-tolyl-formamidine, -triazene or -formamidine ligands; insertion of CNC_6H_4Me-*p*, CS_2 or CO_2 into a Pd–N bond (R. Usón, J. Forniés, P. Espinet, E. Lalinde), (334) 399

Palladium(II) oxidizing potential, heterocyclic synthesis by use of (*Review*) (Y. Tamar, Z. Yoshida), (334) 213

trans-Pd(COPh)($CONMe_2$)(PMe_3)$_2$, model intermediate in catalytic double carbonylation of aryl halides with amines to give α-keto amides, preparation and reductive elimination behaviour of (F. Ozawa, L. Huang, A. Yamamoto), (334) C9

Perhalophenylpalladium(II) complexes containing keto-stabilised phosphorus ylides of the type $Ph_2P(CH_2)_nPPh_2CHC(O)R$ (R. Usón, J. Forniés, R. Navarro, A.M. Ortega), (334) 389

Triphenylphosphine-palladium, -platinum, -cobalt, and -rhodium complexes as efficient catalysts for fluoride synthesis via carbonylation of organic halides (T. Sakakura, M. Chaisupakitsin, Teruyuki Hayashi, M. Tanaka), (334) 205

Phosphorus

Acetonitrile/trialkylphosphane/nickel(0), selective cooligomerisation of hexyne(−3) under catalysis of; structure of a nickel(0) complex with side-on bonded acetonitrile (D. Walther, H. Schönberg, E. Dinjus, J. Sieler), (334) 377

t-Butylphosphaacetylene, ring formation with π-areneiron complexes of (M. Driess, D. Hu, H. Pritzkow, H. Schäufele, U. Zenneck, M. Regitz, W. Rösch), (334) C35

Carbonyltungsten binuclear compounds bridged by hydride and bidentate phosphine ligands, synthesis of (J.T. Lin, Y.M. Shiao), (334) C31

Cp(CO)CoPt(PPh_3)$_2$(μ-CH_2) and Cp_2Co_2Pt-(PPh_3)$_2$(μ-CO)$_2$, synthesis from reaction of Pt(PPh_3)$_2$(C_2H_4) with [CpCo(CO)]$_2$(μ-CH_2), synthesis of (P.D. Macklin, C.A. Mirkin, N. Viswanathan, G.D. Williams, G.L. Geoffroy, A.L. Rheingold), (334) 117

Dichloro[*N*,*N*-dimethyl-1-[1′,2-bis(diphenylphosphine)ferrocenyl]ethylamine]palladium-(II), crystal structure of (Tamio Hayashi, M. Kumada, T. Higuchi, K. Hirotsu), (334) 195

Ferrocenylpentacarbonylmanganese, $Mn(CO)_5$-Fc, synthesis and reactivity of (M. Herberhold, H. Kniesel), (334) 347

Optically active monodentate phosphines prepared from α-pinanes and D-mannit under enantioselective catalysis (H. Brunner, H. Leyerer), (334) 369

Palladium-catalysed or -promoted reductive C-C coupling, effects of phosphines and carbon ligands on (E.-I. Negishi, Tamotsa Takahashi, K. Akiyoshi), (334) 181

Perhalophenylpalladium(II) complexes containing keto-stabilised phosphorus ylides of the type $Ph_2P(CH_2)_nPPh_2CHC(O)R$ (R. Usón, J. Forniés, R. Navarro, A.M. Ortega), (334) 389

Titanated phosphonoacetates, reagents for stereoconvergent Knoevenagel condensations, structural study of (M.T. Reetz, M. von Itzstein), (334) 85

Triphenylphosphine-palladium, -platinum, -cobalt, and -rhodium complexes as efficient catalysts for fluoride synthesis via carbonylation of organic halides (T. Sakakura, M. Chaisupakitsin, Teruyuki Hayashi, M. Tanaka), (334) 205

Platinum

η^3-Allyl-group 10 metal complexes as key intermediates, molecular basis of catalytic reactions with (*Review*) (H. Kurosawa), (334) 243

Cp(CO)CoPt(PPh_3)$_2$(μ-CH_2) and Cp_2Co_2Pt-(PPh_3)$_2$(μ-CO)$_2$, synthesis from reaction of Pt(PPh_3)$_2$(C_2H_4) with [CpCo(CO)]$_2$(μ-CH_2), synthesis of (P.D. Macklin, C.A. Mirkin, N. Viswanathan, G.D. Williams, G.L. Geoffroy, A.L. Rheingold), (334) 117

Triphenylphosphine-palladium, -platinum, -cobalt, and -rhodium complexes as efficient catalysts for fluoride synthesis via carbonylation of organic halides (T. Sakakura, M. Chaisupakitsin, Teruyuki Hayashi, M. Tanaka), (334) 205

Rhenium

Ziegler-type systems, activation of C–C bonds in alkanes and cycloalkanes by (M.E. Vol'pin, I.S. Akhrem, S.V. Reznichenko, V.V. Grushin), (334) 109

Rhodium

Carbonylrhodium-catalysed synthesis of α,β-unsaturated ethyl ketones by cross-hydrocarbonylation of acetylenes and ethylene with CO and H_2 (P. Hong, T. Mise, H. Yamazaki), (334) 129

Dicarboalkoxy(di-μ-methylene)bis(pentamethylcyclopentadienylrhodium), alkyl acrylates from a three-carbon coupling reaction of (I.M. Saez, D.G. Andrews, P.M. Maitlis), (334) C17

Fischer–Tropsch reaction, models for formation of oxygenates in (I.M. Saez, P.M. Maitlis), (334) C14

Optically active monodentate phosphines prepared from α-pinanes and D-mannit under enantioselective catalysis (H. Brunner, H. Leyerer), (334) 369

Triphenylphosphine-palladium, -platinum, -cobalt, and -rhodium complexes as efficient catlysts for fluoride synthessis via carbonylation of organic halides (T. Sakakura, M. Chaisupakitsin, Teruyuki Hayashi, M. Tanaka), (334) 205

Ruthenium

(Cyclooctadiene)(cyclooctatriene)ruthenium and its derivatives, organic synthesis catalysed by (*Review*) (T.-A. Mitsudo, Y. Hori, Y. Watanabe), (334) 157

Selenium

Aminoiminomethanesulphinic acid (thiourea dioxide) used under phase transfer conditions for generating organochalcogenate anions; synthesis of sulphides, selenides and tellurides (J.V. Comasseto, E.S. Lang, J.T.B. Ferreira, F. Simonelli, V.R. Correia), (334) 329

Cyclooctaselenadiazole, synthesis, decomposition pathway, and reaction with $(\eta^5\text{-}C_5H_5)Co(L)_2$ ($L = C_2H_4$, PPh_3); crystal and molecular structures of $[(\eta^5\text{-}C_5H_5)Co]_2(\mu_2\text{-}\eta^3,\eta^2\text{-}C_8H_6Se)$ (J. Knebel, C.P. Morley, G. Wilke, C. Krüger, J.M. Wallis), (334) C39

Octacarbonyldicobalt-mediated and -catalysed carbonylation of diaryl diselenides and ditellurides to seleno and telluro esters (H. Takahashi, K. Ohe, S. Uemura, N. Sugita), (334) C43

Silicon

Bis(t-butyl-, trimethylsilyl-, trimethylgermyl-, trimethylstannyl- and trimethylplumbyl-cyclopentadienyl)iron, synthesis and multinuclear NMR data of (F.H. Köhler, W.A. Geike, N. Hertkorn), (334) 359

Chlorosiloxanes, mechanism of acidic catalysis of hydrolysis of (J. Brumme, U. Scheim, A. Porzel, K. Rühlmann, H. Grosse-Ruyken), (334) 277

Optically active monodentate phosphines prepared from α-pinanes and D-mannit under enantioaelective catalysis (H. Brunner, H. Leyerer), (334) 369

Trimethlysilyl-substituted cyclopentadienylindium(I) compounds, synthesis and properties (P. Jutzi, W. Leffers, G. Müller), (334) C24

m-Trimethylsilylanisole, *ipso* effect of silicon during acylation of (B. Bennetau, M. Krempp, J. Dunoguès), (334) 263

Triphenylsilane from gas-phase diffraction, molecular structure of (B. Rozsondai, I. Hargittai), (334) 269

Sodium

Cyclopentadienylytterbium(II) chlorides, C_5H_5-YbCl(L), preparation and spectral characterisation of (S.J. Swamy, H. Schumann), (334) 1

Sulphur

Aminoiminomethanesulphinic acid (thiourea dioxide) used under phase transfer conditions for generating organochalcogenate anions; synthesis of sulphides, selenides and tellurides (J.V. Comasseto, E.S. Lang, J.T.B. Ferreira, F. Simonelli, V.R. Correia), (334) 329

From 2-thienylcopper couplings to trimethylsilyl-promoted organocopper additions (E.-L. Lindstedt, M. Nilsson, T. Olsson), (334) 255

Skew-trapezoid bipyramidal diorganotin/bischelates; crystal structure of dimethylbis(2-pyridinethiolato-*N*-oxide)tin(IV) (S.W. Ng, C. Wei, V.G. Kumar Das, T.C.W. Mak), (334) 295

Tellurium

Aminoiminomethanesulphinic acid (thiourea dioxide) used under phase transfer conditions for generating organochalcogenate anions; synthesis of sulphides, selenides and tellurides (J.V. Comasseto, E.S. Lang, J.T.B. Ferreira, F. Simonelli, V.R. Correia), (334) 329

Octacarbonyldicobalt-mediated and -catalysed carbonylation of diaryl diselenides and ditellurides to seleno and telluro esters (H. Takahashi, K. Ohe, S. Uemura, N. Sugita), (334) C43

Tin

Bis(t-butyl-, trimethylsilyl-, trimethylgermyl-, trimethylstannyl- and trimethylplumbyl-cyclopentadienyl)iron, synthesis and multinuclear NMR data of (F.H. Köhler, W.A. Geike, N. Hertkorn), (334) 359

Skew-trapezoid bipyramidal diorganotin/bischelates; crystal structure of dimethylbis(2-pyridinethiolato-*N*-oxide)tin(IV) (S.W. Ng, C. Wei, V.G. Kumar Das, T.C.W. Mak), (334) 295

Thienyltetraorganotin(IV) compounds, synthesis and spectral characterisation of (V.G. Kumar Das, L.K. Lo, S.J. Blunden), (334) 307

Tribenzyl(2-pyridinethiolato-*N*-oxide)tin(IV), a square pyramidal organotin(IV) compound, crystal structure of (S.W. Ng, C. Wei, V.G. Kumar Das, T.C.W. Mak), (334) 283

Titanium

Carbotitanation of unsaturated hydrocarbons and ketones with η^3-allyl(di-η^5-cyclopentadienyl)titanium(III), effects of Lewis acids and bases on (J.J. Eisch, M.P. Boleslawski), (334) C1

Tetrachloro(diethylphthalate)titanium(IV), crystal structure of (J. Utko, P. Sobota, T. Lis), (334) 341

Titanated phosphonoacetates, reagents for stereoconvergent Knoevenagel condensations, structural study of (M.T. Reetz, M. von Itzstein), (334) 85

Tungsten

Carbonyltungsten binuclear compounds bridged by hydride and bidentate phosphine ligands, synthesis of (J.T. Lin, Y.M. Shiao), (334) C31

Reduced metal oxides, molecular model for reductive cleavage of CO to carbide and oxide on (M.H. Chisholm), (334) 77

Ytterbium

Cyclopentadienylytterbium(II) chlorides, C_5H_5-YbCl(L), preparation and spectral characterisation of (S.J. Swamy, H. Schumann), (334) 1

Zinc

Palladium-catalysed or -promoted reductive C–C coupling, effects of phosphines and carbon ligands on (E.-I. Negishi, Tamatso Takahashi, K. Akiyoshi), (334) 181

Zirconium

Group 4 metallocene-substituted ylides, synthesis and reactions with ketones of (G. Erker, P. Czisch, R. Mynott), (334) 91

Book reviews

Dictionary of organometallic compounds, Second supplement; edited by J.E. Macintyre (C. Eaborn), (334) C50

Gmelin handbook of inorganic chemistry, 8th edit., Boron compounds, 3rd Supplment, Vol. 2, Boron and oxygen; by G. Heller (J.D. Smith), (334) C51

Gmelin handbook of inorganic chemistry, 8th edit., Organogallium compounds Part 1; by J.-C. Maire, U. Krüerke, M. Mirbach, W. Petz and C. Siebert (J.D. Smith), (334) C51

Hypercarbon chemistry; by G.A. Olah, G.K.S. Prakash, R.E. Williams, L.D. Field and K. Wade (C. Eaborn), (334) C49